



FIREPLACECASSETTES AND FIREPLACEDOORS



Symbols

PRODUCT-SPECIFIC PICTOGRAPHS

RLA, room air dependent

Logs

Energy efficiency class

Thermal output range (kW)

Linear cassettes

Heating cassettes made to measure

Cassettes custom design

Fireplace doors

| Introduction 4 - 9 Product overview 10 Products 12 - 25 Details 26 Technical data 29 | CONTENTS | |
|--|------------------|---------|
| Products 12 - 25 Details 26 | Introduction | 4 - 9 |
| Details 26 | Product overview | 10 |
| | Products | 12 - 25 |
| Technical data 29 | Details | 26 |
| | Technical data | 29 |
| | CONT | ENI- |

NOTE

 $Colours\ may\ differ\ slightly\ from\ actual\ colours,\ due\ to\ the\ printing\ process.\ Technical\ data\ and\ colours\ subject\ to\ change.\ Errors\ and\ omissions\ excepted.$



WHY CHOOSE A CASSETTE?



REDUCES HEAT LOSS

INCREASES
SAFETY,
COMFORT AND
EFFICIENCY



LIVING STYLES MANY WAYS TO YOUR DREAM INTERIOR

Minimalism, modern, classic or retro style: Individual choice is in fashion!

Creating a refuge with a feel-good atmosphere is a very individual choice. Some people love elegant classics of design, others choose modern Scandinavian furniture. Often it feels great to combine the old and the new. Wing-back chairs with high backs are perfect for leaning back and escaping your everyday troubles. Low, wide sofas with soft covers are a great place to spend a relaxed weekend. But maybe it's the large kitchen or living room table that becomes your favourite place and the heart of your home – where the children do their homework, where you cook and eat delicious meals and where friends and family love to get together.









If you manage to evoke feelings and create harmonies with furniture and decorations, you will feel comfortable in your own four walls. Objects with a story are the foundation for a place where you love to spend your time. After that, all you need is some candlelight, a few cushions and a fireplace to warm not just your body, but your soul.

CASSETTES

Linear cassettes

For more efficiency.

Linear cassette XS 500

Linear cassette S 600

Linear cassette M 700

Linear cassette L 800

Linear cassette XL 900

Page 12

Cassettes made to measure

A design that fits.

Cassette 1V

Cassette 2L

Cassette 2R Cassette 3RL

Cassette Prisma

e 12

Cassettes in a custom design

Nothing is impossible.

Cassettes in a custom design

Page 20

FIREPLACE DOORS

Page 16

Fireplace doors

Beautiful and clean.

1V door

2L door 2R door

3RL door

Panorama doors

Page 22

WE HAVE THE RIGHT SOLUTION

If you are looking for a modern fireplace that will heat up your room fast and provide optimised combustion efficiency adapted to your specific requirements, Spartherm has exactly what you need:

A cassette or fireplace door from the Spartherm product range is the ideal solution for retrofitting an open fireplace. These products are perfect for optimising the heating power, comfort and safety of any pre-installed fireplace without requiring complicated construction measures. Say good-bye to inefficient combustion, hard-to-remove ash residue and dangerous flying sparks.

And to top it all off: The design of Spartherm cassettes and fireplace doors can be adapted to any fireplace or room set-up.



- IMPROVED HEATING CAPACITY
- NO FLYING SPARKS
- **CONTROLLED BURN-UP**
- REDUCED FUEL CONSUMPTION
- CAN BE RETROFITTED TO ANY
 MODEL OF OPEN FIREPLACE
- NO CHISELLING OR MASONRY WORK
 REQUIRED FOR INSTALLATION

BEFORE





AFTER




LINEAR




LINEAR CASSETTES

For more efficiency.

From slim to extra-wide, from XS to XL: Spartherm offers Linear cassettes in five standard sizes. These will add a new, modern frame solution to your fireplace that is sure to fit perfectly. The entire fireplace becomes more efficient, cleaner and safer.





VARIANTS

Linear cassette XS 500



((L)) 4.0 - 5.2

Linear cassette S 600

(**L**)) 4.5 - 6.5 kW

Linear cassette M 700 Ľ≣ A

(**L**)) 4.5 - 7.8 kW

Linear cassette L 800 **(=**

(**L**) 4.5 - 9.1 kW

Linear cassette XL 900

((L)) 5.6 - 10.4 kW





LINEAR




LINEAR CASSETTES


For more efficiency.

All Spartherm Linear cassettes comply with the 2nd level of the German Federal Emission Control Act (BImSchV) and are available in five sizes and with different screen widths.









VARIANTS

Cassette 1V



(**L**) 4.5 - 10.4

Cassette 2L **△** A+

(L) 4.5 - 10.4

Cassette 2R **₹** A+

(**L**)) 4.5 - 10.4

Cassette 3RL

₹<u></u>

(L) 4.5 - 10.4

Cassette Prisma

((L)) 4.5 - 10.4





In addition to the Linear cassettes, Spartherm also offers custom designs. The advantage: Custom-made cassettes from Spartherm can be made to measure in a variety of shapes and designs – straight, prismatic, round, rectangular or as a round arch, all options are available.

Having a Spartherm cassette made to measure is the ideal solution for a modern retrofit of an open fireplace. It can easily be integrated in any pre-installed fireplace.

And it comes with the full level of safety and comfort of a cassette.

CASSETTES



MADE TO MEASURE

Designs to fit any style

Individual and unique: Like the furniture of a house or apartment, the fireplace should also express the owner's design choices. Choosing a modern and functional Spartherm cassette is the first step toward a modern, sustainable form of heating.

Whether you choose a classic or modern design: Spartherm's custom products offer perfectly adapted design solutions for any living style or room set-up.







INDIVIDUAL STYLE - SPECIAL SOLUTIONS

Architectural creativity knows no limits. If you have a sophisticated room concept with a special fireplace, Spartherm offers the custom-made cassettes to fit it precisely. As experts for fireplace technology with in-house production facilities, Spartherm can easily create customised special designs.

Spartherm's modern fireplace design adds that final touch to any home ambiance, both visually and technologically.

The manufacture of a new cassette is carried out in accordance with the structural conditions and the exact dimensions that are determined on site by the fireplace installer. Spartherm cassettes and doors are always manufactured to fit precisely. As a result, every item produced is an individual piece.

FIREPLACE DOORS




A MATCHING DOOR FOR ANY FIREPLACE

Beautiful and clean









FIREPLACE DOORS



A MATCHING DOOR FOR ANY FIREPLACE

For greater safety



There is no doubt: A fireplace has to be as safe as possible. That is why it makes sense to modernise older fireplaces. Spartherm fireplace doors are a safe and clean solution for any room set-up. They provide greater heating power, more effective combustion and better air quality.

WHAT A FIT!

Spartherm fireplace doors come in four basic versions, straight, prismatic, 2-sided (left and right) and 3-sided.


Please note:

Fireplace doors change the design of the existing open fire-places. It is therefore necessary to coordinate with your neighbourhood chimney sweeper.




High technical quality combined with a well-balanced design. With Spartherm fireplace doors, a pre-installed fireplace will provide even more heat and even greater safety.


A MATCHING DOOR FOR ANY FIREPLACE.




Straight door




Prismatic door



L-shaped door, left



L-shaped door, right




TECHNOLOGY




SOPHISTICATED
DETAILED SOLUTIONS

Effective combustion



Handle opened



Printed glass

26

Beautiful and clean

Let the advantages convince you: Perfect functionality, along with uncomplicated and clean installation, is a compelling argument for Spartherm Linear cassettes.





Handle closed




Speed regulator for the hot-air blower

FROM OPEN FIRE TO PERFECT FIRE





Product overview cassettes | fireplace doors



Technical data

| Cassettes | | | | Linear cassette XS 500 | Linear cassette \$ 600 | Linear cassette M 700 | Linear cassette L 800 | Linear cassette XL 900 | Cassette small | Cassette large |
|-------------------|--|-------------------------|----|------------------------------|------------------------------|-----------------------------|-----------------------------|------------------------------|-----------------|-----------------|
| | Door height | | mm | 492 | 515 | 565 | 585 | 605 | made to measure | made to measure |
| Dimensions | Door | Door width | | 381 | 562 | 662 | 762 | 862 | up to 700 | from 700 |
| Dimer | Door | Door depth | | - | - | - | - | - | made to measure | made to measure |
| | Flue | gas connection Ø | mm | 130 | 150 | 150 | 180 | 200 | made to measure | made to measure |
| | | Energy efficiency class | | A+ | А | А | А | А | Α+ | A+ |
| | Standard | Nominal output | kW | 4.0 | 5.0 | 6.0 | 7.0 | 8.0 | 6.0 | 8.0 |
| | Stan | Heat output range | kW | 4.0-5.2 | 4.5-6.5 | 4.5-7.8 | 4.5-9.1 | 5.6-10.4 | 4.5-7.8 | 5.6-10.4 |
| | | Efficiency | % | >80 | 79 | 78 | 78 | 78 | >80 | 80 |
| | | Energy efficiency class | | - | - | - | - | - | - | - |
| nance | E S | Nominal output | kW | - | - | - | - | - | - | - |
| Performance | with HRS | Heat output range | kW | - | - | - | - | - | - | - |
| | | Efficiency | % | - | - | - | - | - | - | - |
| | | Energy efficiency class | | - | - | - | - | - | - | - |
| | S | Nominal output | kW | - | - | - | - | - | - | - |
| | 0, | Heat output range | kW | - | - | - | - | - | - | - |
| | | Efficiency | % | - | - | - | - | - | - | - |
| s | 2nd level BImSchV 2010 (German immission protection directive) | | | √ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Inspections | 15a B-VG | | | ✓ | ✓ | ✓ | ✓ | - | ✓ | ✓ |
| luspe | European Ecodesign Directive 2022 | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | √ |
| | Operation with open combustion chamber | | | - | - | - | - | - | - | - |
| E | Weight (approx.) kg | | | 54 | 83 | 103 | 130 | 150 | - | - |
| Information | Door function | | | hinged | hinged | hinged | hinged | hinged | hinged | hinged |
| ln f c | Glaz | ing | | simple | simple | simple | simple | simple | simple | simple |

¹⁾ Screen: Standard Linear cassettes 🖈 Linear XS 500 = 45mm / Linear S-XL = 60mm | Additional screen widths available | Subject to technical modifications.

²⁾ The values are intended merely for orientation. A systematic determination of the heating load must be made in accordance with TR-OL or in accordance with DIN EN 12831. Changing the amount of wood filled from 30 % based on the nominal output may lead to variations of the room heating capacity.



SPARTHERM PRODUCT RANGE














DESIGN YOUR UNIQUE MOMENTS OF FIRE.









PRODUCT CONSULTANT

WHICH FIRE SUITS YOUR LIFE?

Visit the Spartherm website to find the perfect cassette or fireplace door for your needs in just a few steps!



www.spartherm.com








SPARTHERM® – THE FIRE OF YOUR LIFE.



SPECIALIST DEALERS



www.facebook.com/Spartherm

www.instagram.com/spartherm

www.youtube.com/sparthermgermany

www.spartherm.com